

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
6 September 2002 (06.09.2002)

PCT

(10) International Publication Number
WO 02/069212 A2

(51) International Patent Classification: **G06F 17/60**

(21) International Application Number: **PCT/EP02/01953**

(22) International Filing Date: 31 January 2002 (31.01.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
01480018.9 27 February 2001 (27.02.2001) EP

(71) Applicant (for all designated States except MC, US):
INTERNATIONAL BUSINESS MACHINES CORPORATION [US/US]; New Orchard Road, Armonk, NY 10504 (US).

(71) Applicant (for MC only): **COMPAGNIE IBM FRANCE** [FR/FR]; Tour Descartes, 2, avenue Gambetta, F-92066 Paris La Défense Cedex (FR).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **AUREGLIA,**

Jean-Jacques [FR/FR]; 1094 Route du Canaire, F-06670 Saint Martin du Var (FR). **BAUCHOT, Frederic** [FR/FR]; 299 Chemin du Vallon, La Tourraque, F-06640 Saint Jeannet (FR). **SOLER, Catherine** [FR/FR]; 110 Chemin de la Maure, F-06800 Cagnes sur Mer (FR).


(74) Agent: **ETORRE, Yves, Nicolas**; Compagnie IBM France, Direction de la Propriété Intellectuelle, F-06610 La Gaude (FR).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent

[Continued on next page]

(54) Title: METHOD AND SYSTEM IN AN ELECTRONIC SPREADSHEET FOR HANDLING GRAPHICAL OBJECTS REFERRING TO WORKING RANGES OF CELLS IN A COPY/CUT AND PASTE OPERATION



(57) Abstract: The present invention discloses a system and method of copying and pasting a source range of cells (405) onto a destination range of cells (425) in a multi-dimensional spreadsheet comprising a plurality of cells identified by a cell address along each dimension, a range of cells comprising one or a plurality of cells, said source range of cells (405) comprising one or a plurality of working ranges of cells (401), and one or a plurality of fastening ranges of cells in which one or a plurality of graphical objects are represented (402, 403, 404), said one or plurality of graphical objects being associated with said one or plurality of working ranges of cells.



(BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- without international search report and to be republished upon receipt of that report

Declarations under Rule 4.17:

- of inventorship (Rule 4.17(iv)) for US only
- of inventorship (Rule 4.17(iv)) for US only
- of inventorship (Rule 4.17(iv)) for US only

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

**METHOD AND SYSTEM IN AN ELECTRONIC SPREADSHEET FOR
HANDLING GRAPHICAL OBJECTS REFERRING TO WORKING
RANGES OF CELLS IN A COPY/CUT AND PASTE OPERATION**

Technical field of the invention

5 The present invention relates to the field of information processing by digital computers, and more particularly to a method and system, in an electronic spreadsheet, for handling graphical objects referring to working ranges of cells in a copy & paste or a cut & paste operation.

10

Background art

Before computers, numerical analyses, particularly financial ones, were usually prepared on an accountant's columnar pad or spreadsheet, with pencil and calculator in hand. By organising data into columns and rows, spreadsheets afford the
15 rapid assimilation of information by a reader. The task of preparing a spreadsheet on paper, however, is not quite so fast. Instead, the process tends to be very slow, as each entry must be tediously calculated and entered into the spreadsheet. Since all calculations are the responsibility of
20 the preparer, manually prepared spreadsheets are also prone to errors. Hence, preparation of spreadsheets by hand is slow, tedious, and unreliable.

With the advent of microcomputers, a solution was forthcoming in the form of "electronic spreadsheets." Better known simply
25 as "spreadsheets," these software programs provide a computerised replacement for the traditional financial modelling tools: the accountant's columnar pad, pencil, and calculator. In some regards, spreadsheet programs are to those

tools what word processors are to typewriters. Spreadsheets offer dramatic improvements in ease of creating, editing, and using financial models.

A typical spreadsheet program configures the memory of a computer to resemble the column/row or grid format of an accountant's columnar pad, thus providing a visible calculator for a user. Because this "pad" exists dynamically in the computer's memory, however, it differs from paper pads in several important ways. Locations in the electronic spreadsheet, for example, must be communicated to the computer in a format which it can understand. A common scheme for accomplishing this is to assign a number to each row in a spreadsheet, a letter to each column, and another letter to each sheet (or page) of the spreadsheet. To reference a location at column A and row 1 of the second page (i.e., the upper-left hand corner), for example, the user types in "B:A1". In this manner, the spreadsheet defines an addressable storage location or "cell" at each intersection of a row with a column within a given page.

Data entry into an electronic spreadsheet occurs in much the same manner that information would be entered on an accountant's pad. After a screen cursor is positioned at a desired location, the user can enter alphanumeric information. Besides holding text and numeric information, however, spreadsheet cells can store special instructions or "formulas" specifying calculations to be performed on the numbers stored in spreadsheet cells. Such spreadsheet cells can also be defined and named as a range as long as they are arranged as a connex set of cells. A typical example of such a named range simply corresponds to a regular table found in an accountant's pad. In this fashion, range names can serve as variables in an equation, thereby allowing precise mathematical relationships to be defined between cells. The structure and operation of a spreadsheet program, including advanced functions such as functions and macros, are documented in the technical, trade, and patent literature.

Electronic spreadsheets offer many advantages over their paper counterparts. For one, electronic spreadsheets are much larger (i.e., hold more information) than their paper counterparts; electronic spreadsheets having thousands or even millions of cells are not uncommon. Spreadsheet programs also allow users to perform "what-if" scenarios. After a set of computational relationships has been entered into a worksheet, thanks to imbedded formulas for instance, the spread of information can be recalculated using different sets of assumptions, with the results of each recalculation appearing almost instantaneously. Performing this operation manually, with paper and pencil, would require recalculating every relationship in the model with each change made. Thus, electronic spreadsheet systems were invented to solve "what-if" problems, that is, changing an input and seeing what happens to an output.

For this purpose, electronic spreadsheets systems include different means helping the user to both modify one or several inputs and to visualise the resulting effect.

- In the former case, user defined push-buttons with associated software are typical examples of built-in tools available within conventional electronic spreadsheets for manipulating individual cells or ranges of cells.
- In the later case, user defined charts are typical examples of built-in tools available within conventional electronic spreadsheets for seeing the resulting effect of an input change. Indeed a chart makes relationships among numbers easy to see because it turns numbers into shapes (lines, bars, slices of a pie), and the shapes can then be compared to one another.

The ranges of cells, whether they include one or several cells, typically constitute the basic objects handled by and associated with both push-buttons and charts. In the following, such ranges of cells will be referred to as "working ranges". Reversibly, objects like push-buttons and

charts can be "fasten" to the range of cells they overlay on the spreadsheet user computer display. In the following, such ranges will be referred to as the "fastening ranges". When such a fastening range is copied/cut and pasted within a conventional electronic spreadsheet, the objects that are included are also copied/cut and pasted, so that the resulting pasted range contains the same objects as the original fastening range. Therefore the pasted range is also a fastening range. Any object within the pasted fastening range owns the same attributes as the corresponding original object does. This does not present any problem for most of the object attributes (for instance a pie chart is expected to be copied/cut and pasted into a pie chart, not a bar chart), but some limitations exists in conventional electronic spreadsheets for the working range attribute. Indeed with conventional electronic spreadsheets, the working ranges associated with a copied/cut and pasted object are exactly the same as the ones associated with the original object. This is not the normally expected result if the working range is included or equal to the fastening range: in this case, the working range is expected to be treated as a regular relative range, so that the copied/cut and pasted working range occupies within the copied/cut and pasted fastening range the same relative position as the original working range within the original fastening range. As the spreadsheet user wrongly expects that the copied/cut and pasted working range is included in the copied/cut and pasted fastening range, he/she will erroneously interpret the result of a change within the copied/cut and pasted working range. This problem is particularly severe in the case of a cut and paste operation as the cut and pasted objects within a cut and pasted fastening range are associated with working ranges which have been cut and which are thus emptied: in the case of a chart object, the resulting shape (line, bar, slice of a pie) is simply absent. The present invention offers a user-friendly solution to this problem by giving to the electronic spreadsheet user the choice between a conventional copy/cut and paste operation and an enhanced copy/cut and paste

operation where working ranges within fastening ranges are treated as relative ranges.

Summary of the invention

As defined in independent claims, the present invention is directed to a method and system, in an electronic spreadsheet, for handling graphical objects referring to working ranges of cells in a copy & paste or a cut & paste operation.

More particularly the present invention discloses a system and method of copying and pasting a source range of cells onto a destination range of cells in a multi-dimensional spreadsheet comprising a plurality of cells identified by a cell address along each dimension, a range of cells comprising one or a plurality of cells, said source range of cells comprising one or a plurality of working ranges of cells, and one or a plurality of fastening ranges of cells in which one or a plurality of graphical objects are represented, said one or plurality of graphical objects being associated with said one or plurality of working ranges of cells. The method comprises the steps of:

- selecting a source range of cells;
- selecting a destination range of cells;
- copying onto the selected destination range of cells, the selected source range of cells with any graphical object whose fastening range of cells is included in the source range of cells;

for each graphical object whose fastening range of cells is copied onto the destination range of cells and for each working range of cells associated with the graphical object:

- replacing means for identifying the working range of cells within the source range of cells with means for identifying the copied working range of cells within the destination range of cells if said identifying means are not absolute.

Further embodiments of the invention are provided in the appended dependent claims.

Brief description of the drawings

The novel and inventive features believed characteristics of the invention are set forth in the appended claims. The invention itself, however, as well as a preferred mode of use, 5 further objects and advantages thereof, will best be understood by reference to the following detailed description of an illustrative detailed embodiment when read in conjunction with the accompanying drawings, wherein :

- 10 • Figure 1A is a schematic view of a computer system in which the present invention may be embodied.
- Figure 1B is a schematic view a software system including an operating system, an application software, and a user interface for carrying out the present invention.
- 15 • Figure 1C illustrates the basic architecture and functionality of a graphical user interface in which the present invention may be embodied.
- Figure 2A shows a spreadsheet notebook interface according to the preferred embodiment of the present invention.
- 20 • Figure 2B shows the toolbar component of the notebook interface shown in Figure 2A.
- Figures 2C and 2D show page identifiers for rapidly accessing and manipulating individual pages of the notebook interface shown in Figure 2A.
- 25 • Figures 3A, and 3B illustrate a preferred spreadsheet user interface for invoking the "paste" operation, according to the present invention.

- Figures 4A, 4B, 4C and 4D show a typical spreadsheet structure according to the preferred embodiment of the present invention, and highlight the limitations of prior art.
- 5 • Figures 5A and 5B are flow charts illustrating a preferred method for the "paste" operation according to the present invention.
- Figure 6 illustrates the structure of the "Working Range of Cells" (WROC) Table, according to the preferred embodiment
10 of the present invention.

Detailed description of the preferred embodiment

SYSTEM HARDWARE

As shown in FIG. 1A, the present invention may be embodied on a computer system 100 comprising a central processor 101, a
15 main memory 102, an input/output controller 103, a keyboard 104, a pointing device 105 (e.g., mouse, track ball, pen device, or the like), a display device 106, and a mass storage 107 (e.g., hard disk). Additional input/output devices, such as a printing device 108, may be included in the system 100 as
20 desired. As illustrated, the various components of the system 100 communicate through a system bus 110 or similar architecture. In a preferred embodiment, the computer system 100 includes an IBM-compatible personal computer, which is available from several vendors (including International
25 Business Machine - IBM Corporation of Armonk, N.Y.).

Illustrated in FIG. 1B, a computer software system 150 is provided for directing the operation of the computer system 100. Software system 150, which is stored in system memory 102 and on disk memory 107, includes a kernel or operating system
30 151 and a shell or interface 153. One or more application programs, such as application software 152, may be "loaded"

(i.e., transferred from storage 107 into memory 102) for execution by the system 100. The system 100 receives user commands and data through user interface 153; these inputs may then be acted upon by the system 100 in accordance with instructions from operating module 151 and/or application module 152. The interface 153, which is preferably a graphical user interface (GUI), also serves to display results, whereupon the user may supply additional inputs or terminate the session. In a preferred embodiment, operating system 151 and interface 153 are Microsoft Win95, available from Microsoft Corporation of Redmond, Wash. Application module 152, on the other hand, includes a spreadsheet notebook of the present invention as described in further detail herein below.

15 INTERFACE

A. Introduction

The following description will focus on the presently preferred embodiments of the present invention, which are embodied in spreadsheet applications operative in the Microsoft Win95 environment. The present invention, however, is not limited to any particular application or any particular environment. Instead, those skilled in the art will find that the system and methods of the present invention may be advantageously applied to a variety of system and application software, including database management systems, word processors, and the like. Moreover, the present invention may be embodied on a variety of different platforms, including Macintosh, UNIX, NextStep, and the like. Therefore, the description of the exemplary embodiments which follows is for purposes of illustration and not limitation.

Referring now to FIG. 1C, the system 100 includes a windowing interface or workspace 160. Window 160 is a rectangular, graphical user interface (GUI) for display on screen 106; additional windowing elements may be displayed in various sizes and formats (e.g., tiled or cascaded), as desired. At

the top of window 160 is a menu bar 170 with a plurality of user-command choices, each of which may invoke additional submenus and software tools for use with application objects. Window 160 includes a client area 180 for displaying and
5 manipulating screen objects, such as graphic object 181 and text object 182. In essence, the client area is a workspace or viewport for the user to interact with data objects which reside within the computer system 100.

Windowing interface 160 includes a screen cursor or pointer
10 185 for selecting and otherwise invoking screen objects of interest. In response to user movement signals from the pointing device 105, the cursor 185 floats (i.e., freely moves) across the screen 106 to a desired screen location. During or after cursor movement, the user may generate
15 user-event signals (e.g., mouse button "clicks" and "drags") for selecting and manipulating objects, as is known in the art. For example, Window 160 may be closed, re-sized, or scrolled by "clicking" (selecting) screen components 172, 174/5, and 177/8, respectively.

20 In a preferred embodiment, screen cursor 185 is controlled with a mouse device. Single-button, double-button, or triple-button mouse devices are available from a variety of vendors, including Apple Computer of Cupertino, Calif., Microsoft Corporation of Redmond, Wash., and Logitech
25 Corporation of Fremont, Calif., respectively. More preferably, screen cursor control device 105 is a two-button mouse device, including both right and left "mouse buttons."

Programming techniques and operations for mouse devices are well documented in the programming and hardware literature;
30 see e.g., *Microsoft Mouse Programmer's Reference*, Microsoft Press, 1989. The general construction and operation of a GUI event-driven system, such as Windows, is also known in the art: see, e.g., Petzold, C., *Programming Windows*, Second Edition, Microsoft Press, 1990. The disclosures of each are
35 hereby incorporated by reference.

B. Preferred interface

Shown in FIG. 2A, a spreadsheet notebook interface of the present invention will now be described. The spreadsheet notebook or workbook of the present invention includes a notebook workspace 200 for receiving, processing, and presenting information, including alphanumeric as well as graphic information. Notebook workspace 200 includes a menu bar 210, a toolbar 220, a current cell indicator 230, an input line 231, a status line 240, and a notebook window 250. The menu bar 210 displays and invokes, in response to user inputs, a main level of user commands. Menu 210 also invokes additional pull down menus, as is known in windowing applications. Input line 231 accepts user commands and information for the entry and editing of cell contents, which may include data, formulas, macros, and the like. Indicator 230 displays an address for the current cursor (i.e., active cell) position, or the address or name of a selected named range (i.e. active selection). At the status line 240, system 100 displays information about the current state of the workbook; for example, a "READY" indicator means that the system is ready for the user to select another task to be performed.

The toolbar 220, shown in further detail in FIG. 2B, comprises a row or palette of tools which provide a quick way for the user to choose commonly-used menu commands or properties. In an exemplary embodiment, toolbar 220 includes file manipulation buttons 221, printing buttons 222, an undo button 223, cut, copy, and paste buttons 224, information pop-up window buttons tool 225, a named range selection button 226, a style copy button 227, a column re-sizing button 228, and a sum button 229. The functions of these buttons are suggested by their names. For instance, buttons 224 cut, copy and paste data and objects to and from Windows' clipboard. The same

actions are also available as corresponding commands in the Edit menu (available from menu bar 210).

The notebook, which provides an interface for entering and displaying information of interest, includes a plurality of spreadsheet pages. Each page may include conventional windowing features and operations, such as moving, re-sizing, and deleting. In a preferred embodiment, the notebook includes 256 spreadsheet pages, all of which are saved as a single disk file on the mass storage 107. Workspace 200 may display one or more notebooks, each sized and positioned (e.g., tiled, overlapping, and the like) according to user-specified constraints.

Each spreadsheet page of a notebook includes a 2-D spread. Page A from the notebook 200, for example, includes a grid in row and column format, such as row 3 and column F. At each row/column intersection, a box or cell (e.g., cell C4) is provided for entering, processing, and displaying information in a conventional manner. Each cell is addressable, with a selector being provided for indicating a currently active one (i.e., the cell that is currently selected).

As shown in FIGS. 2C-D, individual notebook pages are identified by page identifiers 260, preferably located along one edge of a notebook. In a preferred embodiment, each page identifier is in the form of a tab member (e.g., members 261a, 262a, 263a) situated along a top edge of the notebook. Each tab member may include representative indicia, such as textual or graphic labels, including user selected titles representing the contents of a corresponding page. In FIG. 2C, the tab members 260 are set to their respective default names. For example, the first three tab members (members 261a, 262a, 263a) are respectively set to A, B, and C. Tab members are typically given descriptive names provided by the user, however. As shown in FIG. 2D, for example, the first three tab members have now been set to "Contents" (tab member 261b), "Summary" (tab member 262b), and "Jan" (tab member 263b). In a

similar manner, the remaining tabs are set to subsequent months of the year. In this manner, the user associates the page identifiers with familiar tabs from an ordinary paper notebook. Thus, the user already knows how to select a page or
5 spread of interest: simply select the tab corresponding to the page (as one would do when selecting a page from a paper notebook).

In addition to aiding in the selection of an appropriate page of information, the user-customizable page identifiers serve
10 aid in the entry of spreadsheet named range addresses. For example, when entering a formula referring to a named range of cells on another page, the user may simply use the descriptive page name in the named range address, thus making it easier for the user to understand the relationship of the cell(s) or
15 information being referenced.

A general description of the features and operation of the spreadsheet notebook interface may be found in Quattro Pro for Windows (*Getting Started, User's Guide and Building Spreadsheet Applications*), available from Borland
20 International.

RANGE DEPENDENT OBJECTS IN A COPY/CUT AND PASTE OPERATION

A. Introduction

Conventional electronic spreadsheets include built-in means allowing the spreadsheet users to easily apply changes to
25 ranges of cells and to easily represent the resulting effect on other ranges of cells. Typical examples of such means are push-button objects, with their associated macros or scripts, and chart objects. These objects are linked to two different types of ranges of cells: the so-called "**Working Ranges of**
30 **Cells**" and the so-called "**Fastening Ranges of Cells**".

This is illustrated in the example of FIG 4A showing a portion of the display device 106 where a range of cells representing

the trigonometric function $Y=10*\sin(X/10)$ is represented by a chart. This range of cell 401, delimited by a solid line, identified by its address C5..D24, and named as "TRIGOTABLE", contains two columns: the left one contains a set of values X_i for the X variable and the right one contains the set of corresponding values $Y_i=10*\sin(X_i/10)$. On the right side of the range of cells 401, the spreadsheet user has defined a chart 402 showing a plot of the trigonometric function $y=10*\sin(x/10)$ for the sample values represented by the range of cells 401.

10 Above the left column of the range of cells 401, the spreadsheet user has defined a push-button 403 entitled "Sort by X" whose effect is to sort the range of cell 401 by the X values. Above the right column of the range of cells 401, the spreadsheet user has defined a push-button 404 entitled "Sort

15 by Y" whose effect is to sort the range of cell 401 by the Y values. This effect is shown in FIG 4B, where the named range "TRIGOTABLE" 411 has been sorted by the rightmost column, so that the resulting chart 412 shows a different curve than the one shown in the chart 402 of FIG 4A.

20 • Working Ranges of Cells (WRoC)

The push-button objects 403 and 404 and the chart object 402 illustrated in the example of FIG 4A are all associated to the range of cells 401. Indeed the two push-button objects 403 and 404 allow to sort the range of cells 401, and the

25 chart object 402 gives a graphical representation of a function $y=10*\sin(x/10)$ whose sample values constitute the range of cells 401. For each of these three objects 402, 403 and 404, the range of cells 401 will be referred to as a "Working Range of Cells" or WRoC. More generally, any range

30 of cells handled by a graphical object in an electronic spreadsheet will be referred to as a "**Working Range of Cells**" or **WRoC** associated to this object. Within an object oriented software engineering environment, this can be formally specified through the definition of a specific

35 object property associated to the object representing a push-button or a chart.

- **Fastening Ranges of Cells (FRoC)**

In conventional electronic spreadsheets, objects like push-buttons or charts can be fasten to a range of cells. When such graphical objects are created, they fasten by default to the range of cells delimited by their top left and bottom right corners. An object fastened in this way can move and change size with the cells behind it. For example they can move and change their size when columns and rows are either inserted or deleted, or when the column widths or the row heights get changed. The range of cells to which such an object is fastened will be referred to as the "**Fastening Range of Cells**" or **FRoC**.

In the example of FIG 4A, the push-button object 403 is fasten to the FRoC made of a single cell with address A:C3; the push-button object 404 is fasten to the FRoC made of a single cell with address A:D3; the chart object 402 is fasten to the FRoC with address A:E3..A:I24.

- **How are treated WRoC when FRoC are copied/cut and pasted?**

Let consider a typical case which is illustrated by the FIG 4C. Here is shown the result of a copy and paste operation where the spreadsheet user has first selected a range of cells 405 with address A:B2..A:J25 (this range of cells 405 is delimited by a double line border), then copied this range of cells 405 to the clipboard, then selected another range of cells 425 with address A:L2..A:T25, and finally performed a paste operation. This results into copying and pasting the content of all the cells from range of cells 405 onto the range of cells 425, into copying and pasting all the cell display attributes from range of cells 405 onto the range of cells 425, and into copying and pasting the graphical objects from range of cells 405 onto the range of cells 425. The output of this operation is that the range of cells 425 contains a range of cells 421 containing the same values as the original range of cells 401, a pair of push-buttons 423 and 424 and a chart object 422. These graphical objects 422, 423 and 424 own the same attributes as the original graphical objects 402, 403, and 404, but

unfortunately they are all associated to the original WRoC 401 instead of being associated to its copied and pasted version, that is the range of cells 421. In short we are in a situation where a range of cells 405 containing one FRoC and one WRoC associated to the same graphical object, is copied and pasted onto another range of cells 425. This copied and pasted range of cells 425 contains a copied and pasted version of the original object, with the associated FRoC belonging to the copied and pasted range of cells 425 whereas the associated WRoC still corresponds to the original WRoC. This situation cannot be perceived as normal as for instance any hit on the push-button 423 or 424 will sort the range of cells 401 instead of the range of cell 421. Similarly the same problem appears with the graph object 422: any change in the values of the range of cells 421 will not be reflected in the graph object 422, which instead reflects the values found in the range of cells 401. The above problem becomes even more severe in the case of a cut and paste operation. This is reflected in the FIG 4D showing the result of a cut and paste operation applied to the same objects as the ones involved in the copy and paste operation whose effect is shown in FIG 4C. Within the range of cells 435 created by the cut and paste operation the graph object 432 does not show any curve as its associated WRoC corresponds to the WRoC of the original object which has been cut and which is thus empty. Within the same range of cells 435, any click on the push-button objects 433 and 434 results in execution errors as the associated macro or script instructions manipulate ranges which have disappeared. Finally any change in the values of the range of cells 431 will not be reflected in the graph object 432.

The present invention offer a user-friendly solution to these problems by allowing the electronic spreadsheet user to select a new mode of copy/cut and paste operation of a range of cells by which the WRoC associated to the copied/cut and pasted version of a graphical object is equal to the copied/cut and pasted version of the WRoC associated to the original

graphical object, when this graphical object has a FRoC and a WRoC which are included in the copied/cut and pasted range of cells. In the following, the corresponding new Paste method will be referred to as the "**Comprehensive Paste**" method.

5 B. WRoC Table

The decision to perform a copy/cut and paste operation according to the **Comprehensive Paste** method between a source range of cells and a destination range of cells belong to the spreadsheet user. When this operation occurs, a common
10 repository associated to each graphical object like a push-button or a graph, called the "WRoC Table", is used to record the data required by this operation. This WRoC Table is preferably saved on a non volatile memory (typically but not
15 storage 107) and is preferably associated to a method of the graphical object, when object oriented software engineering techniques are used.

Referring now to FIG. 6, the WRoC Table 600 associated to a given graphical object corresponds to a logical simple
20 structure made of several records 601, each of them corresponding to a WRoC associated to this graphical object. Each record includes two fields:

- The "WRoC" 602 field is used for identifying uniquely the working range of cells within the spreadsheet. For instance,
25 the Source Range can correspond to the conventional address structure Sheet:RowColumn..Sheet:RowColumn associated to every range of cells (For example D:E10..D:G20 with D as Sheet name, E and G as Row name/number, 10 and 20 as Column name/number). This field may include one or several
30 occurrences of the "\$" character to identify a relative address, or an absolute address, or the absolute coordinates within a mixed address.

- The "Reference Type" 603 field is used for identifying if the WRoC is referenced as a relative address or as an absolute address or even as a mixed address. This field 603 can respectively take the values RELATIVE, OR ABSOLUTE, OR MIXED, if the number of "\$" characters in the field 602 is found equal to zero, or is found equal to the number of address coordinates, or is found less than the number of address coordinates and strictly positive.

The management of this table is itself conventional and strait forward. Any range of cells, once explicitly or implicitly declared as a working range of cells associated to a given graphical object by the electronic spreadsheet user, results in the introduction of a new record 601 within the WRoC Table associated to the same graphical object. The various means used for explicitly or implicitly specifying if a given range of cells is a WRoC associated to a graphical object are implementation dependent and are therefore not considered as part of the present invention.

C. Scenario

- 20 In contrast to just-described conventional tools, the present invention provides a more powerful, user-friendly and interactive approach for handling WRoC during a cut/copy and paste operation, in a form of a so-called "Comprehensive Paste" method.
- 25 In a preferred embodiment, the present invention is used in two steps :
- **1. The first step** occurs when the spreadsheet user decides, based on some criteria not detailed here, whether a given range of cells have to be cut or copied to memory (the underlying memory space being known as the clipboard).
 - The user first selects the relevant range of cells by using the pointing device 105 or the keyboard 104 and

then invokes the conventional commands called "**Copy**" or "**Cut**" thanks to conventional means available in spreadsheet environment, such as (but not limited to) dedicated push-buttons, keyboard entry short cuts, menu or sub-menu entries.

• At completion of one of these two conventional commands, the selected range of cells, as well as any fasten graphical object it contains, have been copied by conventional internal routines of spreadsheet program into the memory 102 of the computer system.

• **2. The second step** occurs when the spreadsheet user decides, based on his or her own criteria not detailed here, to take advantage of the present invention while the content of the clipboard is pasted onto a given destination range of cells.

• The spreadsheet user first selects the relevant destination ranges of cells by using conventional means, such as (but not limited to) the pointing device 105 or the keyboard 104.

• Then the spreadsheet user invokes an original specific command called "**Comprehensive_Paste**" thanks to conventional means available in spreadsheet environment, such as (but not limited to) dedicated push-buttons, keyboard entry short cuts, menu or sub-menu entries. In a preferred embodiment of the present invention, the **Comprehensive_Paste** command is invoked by clicking with the pointing device 105 first on the conventional "Paste Special" menu entry 301 within the conventional "Edit" menu 300, as shown in FIG 3A, then on a specific check box 311 "Comprehensive Paste" introduced within the conventional "Paste Special" dialogue box 310, as shown in FIG 3B and then on the "OK" push-button 312 available within this same dialog box "Paste Special" 310.

D. Comprehensive_Paste method

The method for handling WRoC during a paste operation to take advantage of the present invention can be split into two parts, which are summarised in flowchart 500 of FIG 5A and in flowchart 510 of FIG 5B. The first part of the method can be
5 seen as the pre-processing of the "Comprehensive Paste" command, and the second part of the method can be seen as the processing of the "Comprehensive Paste" command.

The first part of the method comprises the following steps :

- At step 501, the method is in its default state, waiting for
10 an event to initiate the process.
- At step 502, the "Comprehensive_Paste" command is detected, as a result of an user action. This action can be for instance a specific combination of key on the keyboard 104, or the click of the pointing device 105 on a specific
15 button, or any other similar means not further specified here.
- At step 503, a Boolean variable named "Comprehensive_Flag" is set to the value **TRUE**.
- At step 504, an improved version of the conventional Paste
20 command is invoked. The execution of the conventional Paste command involves different conventional sub-processes, one of them taking care of pasting any graphical object whose FRoC is included in the last cut or copied range of cells. This conventional sub-process will be referred to as the
25 "Graphical_Object_Paste" sub-process. The improved version of the conventional Paste command differs from the conventional Paste command only by replacing the "Graphical_Object_Paste" sub-process by another sub-process referred to as the "Comprehensive_Graphical_Object_Paste".
30 The description of this sub-process is given in the flowchart 510 of FIG 5B.
- At step 505, the Boolean variable named "Comprehensive_Flag" is set to the value **FALSE**. Then is control back to the initial step 501 for handling any new command initiated by
35 the electronic spreadsheet user.

The second part of the method corresponds to a modified version of the conventional sub-process

"Graphical_Object_Paste" in charge of pasting any graphical object whose FRoC is found included in the last cut or copied range of cells. This new version is known as the "Comprehensive_Graphical_Object_Paste" and comprises the

5 following steps :

- At step 511, the method is in its default state, waiting for an event to initiate the process.

- At step 512, the "Comprehensive_Graphical_Object_Paste" command is detected, typically as a result of an invocation
10 as part of the step 504 previously described.

- At step 513, the parameters of the "Comprehensive_Graphical_Object_Paste" command are retrieved:

- Source_Range identifying the source range of cells
15 involved in the current copy/cut and paste operation;

- Dest_Range identifying the destination range of cells involved in the current copy/cut and paste operation,

- Source_Graphical_Object identifying the graphical object (whose FRoC is included in Source_Range) handled by the
20 process, and

- Source_WRoC_Table identifying the WRoC table associated to the object Source_Graphical_Object.

- At step 514, the conventional process Graphical_Object_Paste is followed to create the copied/cut and pasted version of
25 the Source_Graphical_Object. The resulting graphical object, referred to as Dest_Graphical_Object, has a FRoC which has the same relative address within the Dest_Range range of cells as the relative address of the FRoC of Source_Graphical_Object within the Source_Range range of
30 cells. In other words, the address offset between the FRoC of Dest_Graphical_Object and the FRoC of Source_Graphical_Object is equal to the address offset between Dest_Range and Source_Range.

- At step 515, a test is performed to check if the
35 Source_WRoC_Table is empty. If it is the case, then control is given back to the initial step 511, for handling any new command invocation. Otherwise control is given to the step 516.

- At step 516, a WRoC table is created and associated to the graphical object *Dest_Graphical_Object*. This graphical object, referred to as *Dest_WRoC_Table*, has the same size as the *Source_WRoC_Table*, that is contains as many records of structure 601, as illustrated in FIG 6.
5
- At step 517, the WRoC table *Source_WRoC_Table* is copied onto the WRoC table *Dest_WRoC_Table*.
- At step 518, the first record 601 of the *Dest_WRoC_Table* is set as the current record of *Dest_WRoC_Table*.
- 10 • At step 519, a test is performed on the current record of *Dest_WRoC_Table* to determine if the WRoC field 602 is included in the *Source_Range* range of cells, and if the Reference Type field 603 is found different from ABSOLUTE. If it is the case, then control is given to step 520. Otherwise
15 control is given to step 521.
- At step 520, the WRoC field 602 of the current record of the *Dest_WRoC_Table* is replaced by its copied/cut and pasted version within the *Dest_Range* range of cells. In other words, the relative offset of the WRoC field 602 within the
20 *Source_Range* range of cells at the beginning of the step 520 is equal to the relative offset of the WRoC field 602 within the *Dest_Range* range of cells at the end of the step 520.
- At step 521, a test is performed to determine if the current record 601 of the *Dest_WRoC_Table* is the last record 601 of
25 *Dest_WRoC_Table*. If it is the case, then control is given back to the initial step 511, for handling any new command invocation. Otherwise control is given to the step 522.
- At step 522, the next record 601 of the *Dest_WRoC_Table* following the current record 601 becomes the new current
30 record 601 of the *Dest_WRoC_Table*. Then control is given to the step 519 for continuing treating the records 601 of the *Dest_WRoC_Table*.

ALTERNATE EMBODIMENTS

While the invention has been particularly shown and described
35 with reference to a preferred embodiment, it will be

understood that various changes in form and detail may be made therein without departing from the spirit, and scope of the invention.

5 The Comprehensive_Paste method and system according to the present invention may be used advantageously in those environments where elements of information are organised as multidimensional tables having more than three dimensions.

10 The Comprehensive_Paste method and system according to the present invention may be used advantageously in those situations where a given source range of cells is cut/copied and pasted onto multiple destination ranges of cells.

While the invention has been particularly shown and described with reference to a preferred embodiment, it will be understood that various changes in form and detail may be made
15 therein without departing from the spirit, and scope of the invention.

Claims

What is claimed is:

1. A method of copying and pasting a source range of cells (405) onto a destination range of cells (425) in a multi-dimensional spreadsheet comprising a plurality of cells identified by a cell address along each dimension, a range of cells comprising one or a plurality of cells, said source range of cells (405) comprising one or a plurality of working ranges of cells (401), and one or a plurality of fastening ranges of cells in which one or a plurality of graphical objects are represented (402, 403, 404), said one or plurality of graphical objects being associated with said one or plurality of working ranges of cells, the method comprising the steps of:
 - 15 • performing a conventional cut or copy operation, said operation comprising the steps of:
 - selecting a source range of cells (405);
 - performing a comprehensive paste operation, said operation comprising the steps of:
 - 20 • selecting a destination range of cells (425);
 - copying onto the selected destination range of cells (425), the selected source range of cells (405) with any graphical object (402, 403, 404) whose fastening range of cells is included in the source range of cells (405);
 - 25 for each graphical object whose fastening range of cells (422, 423, 424) is copied onto the destination range of cells (425) and for each working range of cells associated with the graphical object:
 - replacing means for identifying the working range of cells (401) within the source range of cells (405) with means for identifying the copied working range of cells

(421) within the destination range of cells (425) if said identifying means are not absolute;

if the operation is a cut operation:

- clearing the source range of cells (405) with all graphical
5 objects (402, 403, 404) whose fastening range of cells is included in the source range of cells (405).

2. The method according to the preceding claim wherein said step of comprises the further step of:

- 10 • copying the source range of cells (405) onto a buffer with any graphical object (402, 403, 404) whose fastening range of cells is comprised in the source range of cells;

and wherein said step of copying onto the selected destination range of cells (425), the selected source range of cells (405)
15 with any graphical object (402, 403, 404) whose fastening range of cells is included in the source range of cells, comprises the step of:

- copying the content of said buffer onto the selected destination range of cells (425).

20 3. The method according to any one of the preceding claims wherein a graphical object is a push-button (403, 404) linked to a piece of code which when activated, processes the associated one or plurality of working cells (401).

4. The method according to any one of the preceding claims
25 wherein a graphical object is a chart (402) for representing on a graphic the associated one or plurality of working cells (401).

5. The method according to any one of the preceding claims wherein a fastening range of cells is defined by default by

the top left and the bottom right corner of the graphical object (402, 403, 404) represented on the spreadsheet.

6. The method according to any one of the preceding claims comprising the preliminary step of:

5 for each graphical object (402, 403, 404):

- creating a table (600);
- associating said table with the graphical object;

and for each working range of cells (401) associated with said
10 graphical object:

- storing in a table (600) means (602), preferably a name or an address, for identifying the working range of cells (601, 401);
- storing in said table (600) means (603) for determining
15 whether or not the working range of cells (601, 401) is associated with the graphical object through an absolute identifying means.

7. The method according to any one of the preceding claims wherein the step of copying onto the selected destination
20 range of cells (425), the selected source range of cells (405) with any graphical object (402, 403, 404) whose fastening range of cells is included in the source range of cells (405), comprises the further steps of:

for each destination graphical object (422, 423, 424), a
25 destination graphical object being a graphical object copied in the destination range of cells (425):

- creating (516) a destination table and associating said destination table with the destination graphical object;
- 30 • copying (517) the content of the table (600) associated with the source graphical object (402, 403, 404) onto the destination table.

8. The method according to any one of the preceding claims wherein the step of replacing means for identifying the working range of cells (401) within the source range of cells (405) with means for identifying the copied working range of cells (421) within the destination range of cells (425) if said identifying means is not absolute, comprises the further step of:

- replacing in the destination table (600) the means for identifying (602) the working range of cells (401) within the source range of cells (405) with means for identifying the copied working range of cells (421) within the destination range of cells (425) if said identifying means is determined has being not absolute (603).

9. The method according to any one of the preceding claims wherein the relative address offset between the working range of cells (401) within the source range of cells (405) and the copied working range of cells (421) within the destination range of cells (425) is equal to the relative offset between source range of cells (405) and the destination range of cells (425).

10. The method according to any one of the preceding claims wherein the step of performing a conventional cut or copy operation comprises the further step of :

- invoking a conventional cut or copy command;

and wherein the step of performing a comprehensive paste operation comprises the further step of :

- invoking a comprehensive paste command.

11. A system comprising means adapted for carrying out the method according to any one of the preceding claims.

12. A computer program comprising instructions adapted for carrying out the method according to claims 1 to 10 when said computer program is executed.




FIG 1A

150




FIG 1B




FIG.1C

4/11




FIG. 2A




FIG. 2B




FIG. 2C




FIG. 2D

11

Fig. 3A





Fig. 3B



7/11




Fig. 4A




Fig. 4B




Fig. 4C




Fig. 4D




Fig. 5A




Fig. 5B

600

WRoC	Reference Type
<div data-bbox="267 798 349 840">602</div>	<div data-bbox="836 798 917 840">603</div>
	<div data-bbox="1226 840 1315 882">601</div>

Fig. 6

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
6 September 2002 (06.09.2002)

PCT

(10) International Publication Number
WO 02/069212 A3

(51) International Patent Classification⁷: **G06F 17/60**

(21) International Application Number: **PCT/EP02/01953**

(22) International Filing Date: **31 January 2002 (31.01.2002)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:
01480018.9 27 February 2001 (27.02.2001) EP

(71) Applicant (for all designated States except MC, US):
INTERNATIONAL BUSINESS MACHINES CORPORATION [US/US]; New Orchard Road, Armonk, NY 10504 (US).

(71) Applicant (for MC only): **COMPAGNIE IBM FRANCE [FR/FR];** Tour Descartes, 2, avenue Gambetta, F-92066 Paris La Défense Cedex (FR).

(72) Inventors; and


(75) Inventors/Applicants (for US only): **AUREGLIA, Jean-Jacques [FR/FR];** 1094 Route du Canaire, F-06670 Saint Martin du Var (FR). **BAUCHOT, Frederic [FR/FR];** 299 Chemin du Vallon, La Tourraque, F-06640 Saint Jeannet (FR). **SOLER, Catherine [FR/FR];** 110 Chemin de la Maure, F-06800 Cagnes sur Mer (FR).

(74) Agent: **ETORRE, Yves, Nicolas;** Compagnie IBM France, Direction de la Propriété Intellectuelle, F-06610 La Gaude (FR).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

[Continued on next page]

(54) Title: **METHOD AND SYSTEM IN AN ELECTRONIC SPREADSHEET FOR HANDLING GRAPHICAL OBJECTS REFERRING TO WORKING RANGES OF CELLS IN A COPY/CUT AND PASTE OPERATION**



(57) Abstract: The present invention discloses a system and method of copying and pasting a source range of cells (405) onto a destination range of cells (425) in a multi-dimensional spreadsheet comprising a plurality of cells identified by a cell address along each dimension, a range of cells comprising one or a plurality of cells, said source range of cells (405) comprising one or a plurality of working ranges of cells (401), and one or a plurality of fastening ranges of cells in which one or a plurality of graphical objects are represented (402, 403, 404), said one or plurality of graphical objects being associated with said one or plurality of working ranges of cells.



(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

— *of inventorship (Rule 4.17(iv)) for US only*

Published:

— *with international search report*

(88) **Date of publication of the international search report:**
7 November 2002

Declarations under Rule 4.17:

- *of inventorship (Rule 4.17(iv)) for US only*
- *of inventorship (Rule 4.17(iv)) for US only*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP 02/01953

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 G06F17/60

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>TOPAIVA: "Workbooks including charts-Help with macro" INTERNET ARTICLE, 'Online! 20 October 1999 (1999-10-20), XP002206626 USENET Newsgroup: microsoft.public.excel.programming Retrieved from the Internet: <URL:http://groups.google.com/groups?selm=7ukjer%24ppu%241%40pthp35.telecom.pt&output=gplain> 'retrieved on 2002-07-18! the whole document</p> <p style="text-align: center;">--- -/--</p>	1-12

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

G document member of the same patent family

Date of the actual completion of the international search

22 July 2002

Date of mailing of the international search report

06/08/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Sanandrés Ledesma, J

INTERNATIONAL SEARCH REPORT

 International Application No
 PCT/EP 02/01953

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>PISANO, ALESSANDRO: "Excel 5.0 question" INTERNET ARTICLE, 'Online! 30 January 1996 (1996-01-30), XP002206625 USENET Newsgroup: comp.apps.spreadsheets Retrieved from the Internet: <URL:http://groups.google.com/groups?selm=4em872%242d0q%40venere.inet.it&output=gplain> 'retrieved on 2002-07-18! the whole document</p> <p>---</p>	1-12
A	<p>LLOYD, JOHN: "Re: Un-Linking a Chart from its data" INTERNET ARTICLE, 'Online! 18 June 1998 (1998-06-18), XP002206627 USENET Newsgroup: microsoft.public.excel.programming Retrieved from the Internet: <URL:http://groups.google.com/groups?selm=01bd99e7%245e5b9fc0%24LocalHost%40mandic.mandic.com.br&output=gplain> 'retrieved on 2002-07-18! the whole document</p> <p>---</p>	
A	<p>US 5 883 623 A (CSERI ISTVAN) 16 March 1999 (1999-03-16) column 11, line 40 -column 12, line 40</p> <p>---</p>	
A	<p>US 5 742 835 A (KAETHLER RICHARD LAWRENCE) 21 April 1998 (1998-04-21) the whole document</p> <p>---</p>	
A	<p>WO 97 21176 A (KJAER HENRIK ; PEDERSEN DAN KAARE (DK)) 12 June 1997 (1997-06-12) page 62, line 10 -page 63, line 32</p> <p>---</p>	
A	<p>EP 0 637 806 A (WANG LABORATORIES) 8 February 1995 (1995-02-08) page 13, line 30 -page 16, line 32 page 29, line 40 -page 31, line 3 page 33, line 30 -page 37, line 57</p> <p>-----</p>	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/EP 02/01953

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5883623	A	16-03-1999	US 5623591 A	22-04-1997
			US 5416895 A	16-05-1995
			AT 208069 T	15-11-2001
			CA 2092506 A1	09-10-1993
			DE 69331025 D1	06-12-2001
			DE 69331025 T2	23-05-2002
			EP 0569133 A2	10-11-1993
			JP 6139261 A	20-05-1994
			US 5572644 A	05-11-1996
			US 5502805 A	26-03-1996
			US 6282551 B1	28-08-2001
			US 5463724 A	31-10-1995
			US 5784545 A	21-07-1998
			US 5590259 A	31-12-1996
			US 5664127 A	02-09-1997
			US 6104325 A	15-08-2000
US 5742835	A	21-04-1998	US 5553215 A	03-09-1996
WO 9721176	A	12-06-1997	WO 9721176 A1	12-06-1997
			AU 4327396 A	27-06-1997
EP 0637806	A	08-02-1995	EP 0637806 A2	08-02-1995
			AU 607795 B2	14-03-1991
			AU 2094388 A	23-02-1989
			CA 1289255 A1	17-09-1991
			DE 3856038 D1	13-11-1997
			DE 3856038 T2	23-04-1998
			DE 3856313 D1	08-04-1999
			DE 3856313 T2	14-10-1999
			EP 0304071 A2	22-02-1989
			JP 1126736 A	18-05-1989
			US 5421012 A	30-05-1995
			US 5421015 A	30-05-1995
			US 5634124 A	27-05-1997
			US 5206951 A	27-04-1993
			US 5261080 A	09-11-1993
			US 5303379 A	12-04-1994
			US 5226161 A	06-07-1993